

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Identity** Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B  
**Alternate Names** Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** F. E. Knight Inc.  
120 Constitution Blvd.,  
Franklin, MA 02038. USA

#### Emergency

**24 hour Emergency Telephone No.** Chem-Tel: 1-800-255-3924 or 617-969-5399  
**Customer Service: F. E. Knight Inc.** 508-520-1666

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

No applicable GHS categories.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

#### [Prevention]:

No GHS prevention statements

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

**[Response]:**

No GHS response statements

**[Storage]:**

No GHS storage statements

**[Disposal]:**

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Trade secret blend containing Polyester Polyol CAS Number: Proprietary	75 - 100		[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

### Overview

Eye: May cause moderate eye irritation.

Skin: Exposure may cause skin irritation and/or redness.

Ingestion: Toxic by ingestion (contains 0.1% of a toxic mercury compound. May cause gastrointestinal discomfort if ingested.

Inhalation: At room temp., vapors are minimal and material is not expected to be an inhalation hazard.

Chronic Effects: Contains 0.1% of an aryl mercury compound. Long-term overexposure to mercury has been associated with central nervous system, digestive system, and kidney disorders.

Carcinogenicity: Contains 0.1% of an aryl mercury compound. Long-term overexposure to mercury has been associated with central nervous system, digestive system, and kidney disorders.

See section 2 for further details.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water fog

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Potentially oxides of carbon, organic acids, mercury vapor, and other unidentified irritating or toxic compounds.

### 5.3. Advice for fire-fighters

Hazardous Combustion Products: Likely to include carbon monoxide, carbon dioxide, mercury vapor, and unidentified toxic and irritating compounds.

Other Information: Firefighters wear protective gear and self-contained breathing apparatus (SCBA). Use water to cool hot containers.

ERG Guide No. ----

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

Clear non-emergency personnel. Put on protective equipment. Remove sources of ignition. Contain spill to minimize environmental contamination. Absorb spilled material with non-reactive absorbent such as sawdust, vermiculite, or sand. Collect and containerize spill material. Dispose of in accordance with federal, state and local regulations.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use in adequately ventilated area. Do not eat, drink or smoke in work area. Wash hands after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: oxidizers

Store indoors. Do not exceed 120°F. Store in original container tightly closed.

#### 7.3. Specific end use(s)

No data available.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

**There are no ingredients in this product with exposure limits**

#### 8.2. Exposure controls

<b>Respiratory</b>	In the absence of good ventilation, or if vapors or mists are generated (e.g., through heating or spraying), use respirator equipped with organic vapor cartridges. In emergency situations, use SCBA.
<b>Eyes</b>	Protective safety glasses recommended.
<b>Skin</b>	Wear overalls to keep skin contact to a minimum. Chemical splash goggles, protective clothing, and impervious rubber gloves are recommended.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

**Appearance**

Pink opaque Liquid

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

<b>Odor</b>	Mild
<b>Odor threshold</b>	Not Measured
<b>pH</b>	NA
<b>Melting point / freezing point</b>	NA
<b>Initial boiling point and boiling range</b>	No data
<b>Flash Point</b>	350 F (estimated)
<b>Evaporation rate (Ether = 1)</b>	NA
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> NA <b>Upper Explosive Limit:</b> NA
<b>Vapor pressure (Pa)</b>	NA
<b>Vapor Density</b>	NA
<b>Specific Gravity</b>	1.4 @ 25 C, G/CC
<b>Solubility in Water</b>	Negligible
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	NA
<b>Decomposition temperature</b>	NA
<b>Viscosity (cSt)</b>	NA
<b>VOC %</b>	NA

### 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid moisture and temperatures > 80F.

### 10.5. Incompatible materials

Oxidizers

### 10.6. Hazardous decomposition products

Potentially oxides of carbon, organic acids, mercury vapor, and other unidentified irritating or toxic compounds.

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

### 11. Toxicological information

#### Acute toxicity

There are no ingredients in this product with known toxicity data.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

### 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

# Safety Data Sheet

## Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>DOT Label:</b> ---	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable

### 14.5. Environmental hazards

**IMDG** Marine Pollutant: No

### 14.6. Special precautions for user

No further information

## 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA)** All components of this material are either listed or exempt from listing on the TSCA Inventory.

**WHMIS Classification** Not Regulated

**US EPA Tier II Hazards**

**Fire:**No

**Sudden Release of Pressure:**No

**Reactive:**No

**Immediate (Acute):**No

**Delayed (Chronic):**No

**EPCRA 311/312 Chemicals and RQs:**  
(No Product Ingredients Listed)

**EPCRA 302 Extremely Hazardous :**  
Proprietary aryl mercury compound

## Safety Data Sheet

### Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

**EPCRA 313 Toxic Chemicals:**

(No Product Ingredients Listed)

**Proposition 65 - Carcinogens (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Developmental Toxins (>0.0%):**

Proprietary aryl mercury compound

**Proposition 65 - Female Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Male Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**N.J. RTK Substances (>1%) :**

(No Product Ingredients Listed)

**Penn RTK Substances (>1%) :**

(No Product Ingredients Listed)



## Safety Data Sheet

### Castaldo® LiquaCast® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

12/05/2014

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

Disclaimer: The information contained herein is considered accurate; however, F .E. Knight, Inc. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

End of Document